

LISTS AND TREES

COMPUTER SCIENCE MENTORS 61A

February 19 to February 21, 2018

1 Lists

1. Draw box-and-pointer diagrams for the following:

```
>>> a = [1, 2, 3]
```

```
>>> a
```

```
>>> a[2]
```

```
>>> b = a
```

```
>>> a = a + [4, 5]
```

```
>>> a
```

```
>>> b
```

```
>>> c = a
```

```
>>> a = [4, 5]
```

```
>>> a
```

```
>>> c
```

```
>>> d = c[0:2]
```

```
>>> c[0] = 9
```

```
>>> d
```

2. Draw the environment diagram that results from running the code.

```
def reverse(lst):  
    if len(lst) <= 1:  
        return lst  
    return reverse(lst[1:]) + [lst[0]]
```

```
lst = [1, [2, 3], 4]  
rev = reverse(lst)
```

3. Write a function that takes in a list `nums` and returns a new list with only the primes from `nums`. Assume that `is_prime(n)` is defined. You may use a `while` loop, a `for` loop, or a list comprehension.

```
def all_primes(nums):
```

2 Trees

Things to remember:

```
def tree(label, branches=[]):  
    return [label] + [branches]
```


```
def label(tree):  
    return tree[0]
```

```
def branches(tree):  
    return tree[1:] #returns a list of branches
```


As shown above, the tree constructor takes in a label and a list of branches (which are themselves trees).

```
tree(4,  
    [tree(5, []),  
     tree(2,  
         [tree(2, []),  
          tree(1, [])]),  
     tree(1, []),  
     tree(8,  
         [tree(4, [])])])])
```

This creates a tree that looks like this:



1. Construct the following tree and save it to the variable `t`.



2. What would this output?

```
>>> label(t)
```

```
>>> branches(t)[2]
```

```
>>> branches(branches(t)[2])[0]
```

3. Write the Python expression to return the integer 2 from `t`.

4. Write the function `sum_of_nodes` which takes in a tree and outputs the sum of all the elements in the tree.

```
def sum_of_nodes(t):  
    """  
    >>> t = tree(...) # Tree from question 2.  
    >>> sum_of_nodes(t) # 9 + 2 + 4 + 4 + 1 + 7 + 3 = 30  
    30  
    """
```