LISTS AND TREES

COMPUTER SCIENCE MENTORS 61A

February 19 to February 21, 2018

1 Lists

1. Draw box-and-pointer diagrams for the following:

```
>>> a = [1, 2, 3]
>>> a
```

Solution:
```
[1, 2, 3]
```

```
>>> a[2]
```

Solution: 3

```
>>> b = a
>>> a = a + [4, 5]
>>> a
```

Solution:
```
[1, 2, 3, 4, 5]
```

```
>>> b
```

Solution:
```
[1, 2, 3]
```

```
>>> c = a
>>> a = [4, 5]
>>> a
```

Solution:
```
[4, 5]
```

```
>>> c
```

Solution:
```
[1, 2, 3, 4, 5]
```

```
>>> d = c[0:2]
>>> c[0] = 9
>>> d
```

Solution:
```
[1, 2]
```

Solution: Box and pointer diagram in Python Tutor.

2. Draw the environment diagram that results from running the code.

```
def reverse(lst):
    if len(lst) <= 1:
        return lst
    return reverse(lst[1:]) + [lst[0]]

lst = [1, [2, 3], 4]
rev = reverse(lst)
```

Solution: https://goo.gl/6vPeX9

3. Write a function that takes in a list `nums` and returns a new list with only the primes from `nums`. Assume that `is_prime(n)` is defined. You may use a `while` loop, a `for` loop, or a list comprehension.
   def `all_primes(nums):`

Solution:

```
result = []
for i in nums:
    if is_prime(i):
        result = result + [i]
return result

List comprehension:
return [x for x in nums if is_prime(x)]
```

2 Trees

Things to remember:

```
def tree(label, branches=[]):
    return [label] + [branches]

def label(tree):
    return tree[0]

def branches(tree):
    return tree[1:] #returns a list of branches
```

As shown above, the tree constructor takes in a label and a list of branches (which are themselves trees).

```
tree(4,
    [tree(5, []),
     tree(2,
        [tree(2, []),
         tree(1, [])]),
     tree(1, []),
     tree(8,
        [tree(4, [])])])
```

This creates a tree that looks like this:



1. Construct the following tree and save it to the variable `t`.



Solution:
```
t = tree(9, [tree(2, []),
             tree(4, [tree(1, [])]),
             tree(4, [tree(7, []),
                      tree(3, [])])])
```

2. What would this output?

```
>>> label(t)
```

Solution: 9

```
>>> branches(t)[2]
```

Solution:
```
tree(4, [tree(7, []), tree(3, [])])
```

```
>>> branches(branches(t)[2])[0]
```

Solution:
```
tree(7, [])
```

3. Write the Python expression to return the integer 2 from t.

Solution:
```
label(branches(t)[0])
```

4. Write the function `sum_of_nodes` which takes in a tree and outputs the sum of all the elements in the tree.

```
def sum_of_nodes(t):
    """
    >>> t = tree(...) # Tree from question 2.
    >>> sum_of_nodes(t) # 9 + 2 + 4 + 4 + 1 + 7 + 3 = 30
    30
    """
```

Solution:

```
    total = label(t)
    for branch in branches(t):
        total += sum_of_nodes(branch)
    return total

    Alternative solution:
    return label(t) +\
           sum([sum_of_nodes(b) for b in branches(t)])
```